

## **RINGKASAN**

### **PADA NY. M MASA NIFAS, NEONATUS SAMPAI DENGAN KB DI WILAYAH KERJA PUSKESMAS PUNGGING KABUPATEN MOJOKERTO**

Asuhan kebidanan merupakan asuhan yang diberikan oleh bidan yang mempunyai kewenangan dalam memberikan asuhan mulai dari kehamilan, persalinan, nifas, bayi baru lahir dan Keluarga berencana. Didalam pengerjaan laporan tugas akhir ini mahasiswa memberikan asuhan secara continuity of care yang dimulai dari masa nifas, neonatus sampai dengan ibu menggunakan alat kontrasepsi yang akan digunakannya. Saat dilakukan pengkajian pada Ny M selama masa nifas dilakukan pengkajian secara keseluruhan yaitu dimulai dari data subyektif, obyektif dengan tujuan untuk menegakkan diagnosa sehingga dapat diberikan asuhan yang sesuai dengan kebutuhan ibu.

Masa nifas ibu berjalan dengan baik, terdapat luka pada perinium ibu sehingga rentan terjadi infeksi. Selama masa nifas Ny. M mengeluh nyeri pada bekas luka perinium di hari pertama setelah persalinan. Nyeri pada luka perinium dihari pertama ini masih dikatakan dalam batas normal. Involusi berjalan dengan baik, selain itu perubahan warna lochea sesuai dengan tahapannya. Pada neonatus tidak ditemukan masalah, bayi lahir dengan BB normal yaitu dengan BB 3.300 kg, dan PB 50 cm. Bayi menyusu dengan kuat, ibu menyusui bayinya secara on demand atau setiap saat. Dalam pemakaian alat kontrasepsi, perlu dilakukan pendekatan kepada ibu untuk segera memilih alat kontrasepsi yang tepat untuk dirinya. Ibu sudah merencanakan akan memakai alat kontrasepsi untuk menjarangkan kehamilan, dan ibu memutuskan untuk memakai KB suntik 3 bulan yang cocok untuk proses menyusui bayinya.

Setelah dilakukan pengkajian selama nifas pada asuhan yang diberikan fokus pada permasalahan yang terjadi dan neonatus berjalan dengan baik dan tidak ditemukan adanya infeksi. Dengan demikian dapat disimpulkan bahwa asuhan secara continuity of care yang dilakukan pada Ny. M berjalan dengan baik dan tanpa adanya komplikasi.

Asuhan yang diberikan kepada Ny M secara continuity of care berjalan sesuai dengan semestinya dan tidak ditemukan adanya komplikasi, dan dapat mendukung bagi bidan dalam upaya peningkatan pelayanan mulai dari asuhan masa nifas sampai dengan asuhan keluarga berencana sesuai dengan batas dan wewenang seorang bidan.

## SUMMARY

IN NY. During the puerperium, NEONATUS comes to family planning in the PUNGGING PUSKESMAS WORKING AREA, MOJOKERTO DISTRICT

Midwifery care is care provided by midwives who have the authority to provide care starting from pregnancy, childbirth, postpartum, newborns and family planning. In the processing of this final report, students provide continuity of care starting from the postpartum period, neonates to mothers using the contraceptive device they will use. When the study was carried out at Mrs. M during the postpartum period, an overall assessment was carried out, starting from subjective and objective data with the aim of establishing a diagnosis so that care could be provided according to the needs of the mother.

The postpartum period of the mother is going well, there is a wound on the mother's perinium so it is prone to infection. During the puerperium, Mrs. M complained of pain in the perinium scar in the first day after delivery. Pain in perinium on the first day is still considered normal. Involution goes well, besides that the color changes of the lochea according to the stages. The neonates did not find any problems, the babies were born with normal weight, namely with a weight of 3,300 kg, and a PB of 50 cm. The baby is suckling firmly, the mother is breastfeeding her baby on demand or all the time. In the use of contraceptives, it is necessary to approach the mother to immediately choose the right contraceptive device for her. The mother has planned to use contraceptives to space pregnancies, and the mother has decided to use 3 months of injection contraception which is suitable for the process of breastfeeding her baby.

After carrying out an assessment during the puerperium, the care given focuses on the problems that occur and the neonate is running well and no

infection is found. Thus it can be concluded that the continuous care of Ny. M went well and without any complications.

The care given to Mrs. M is continuity of care according to the way it should be and there are no complications found, and can support midwives in efforts to improve services from postpartum care to family planning care according to the limits and authority of a midwife.