

**ASUHAN KEBIDANAN PADA NY. “N” PADA MASA NIFAS, NEONATUS SAMPAI
DENGAN KB DI PUSKESMAS JATIREJO
KABUPATEN MOJOKERTO**

Siska Ayu Pratiwi

e-mail : siskayupr26@gmail.com

ABSTRAK

Asuhan kebidanan berkelanjutan (*continuity of care*) adalah pemberian asuhan kebidanan yang di mulai dari masa nifas, neonatus atau bayi baru lahir hingga memutuskan menggunakan KB, ini bertujuan sebagai upaya untuk membantu memantau adanya kemungkinan timbulnya komplikasi yang menyertai ibu dan bayi dari masa nifas hingga ibu menggunakan KB. Penulis bertujuan menerapkan metode asuhan kebidanan berkesinambungan (*continuity of care*) di Puskesmas Jatirejo Kabupaten Mojokerto, metode ini dilakukan melalui kunjungan rumah. Tujuan penyusunan Laporan Tugas Akhir ini untuk memberikan asuhan kebidanan berkelanjutan (*continuity of care*) dan melakukan dokumentasi SOAP pada masa nifas dan KB dengan menggunakan manajemen asuhan kebidanan.

Asuhan kebidanan pada Ny.N dari masa nifas, neonatus sampai KB. Asuhan kebidanan pada masa nifas dilakukan 4 kali pada kunjungan masa nifas pertama dilakukan di Puskesmas Jatirejo Kabupaten Mojokerto dan kunjungan selanjutnya dilakukan pada kunjungan rumah. Kunjungan bayi baru lahir 3 kali pada kunjungan pertama dilakukan di Puskesmas Jatirejo Kabupaten Mojokerto dan selanjutnya dilakukan kunjungan rumah. Kunjungan keluarga berencana dilakukan 1 kali pada kunjungan rumah.

Ny. N dilakukan *Continuity Of Care* yakni dari hasil pemeriksaan Asuhan kebidanan pada ibu nifas yang dilakukan 4 kali kunjungan hasilnya adalah fisiologis, neonatus yang dilakukan 3 kali kunjungan hasilnya tidak ditemukan masalah yang mengarah ke patologis dan KB yang telah dilakukan 1 kali kunjungan juga dalam batas fisiologis tidak ditemukan masalah yang mengarah ke hal patologis serta komplikasi sehingga dengan *Continuity Of Care* menurunkan angka kematian ibu dan bayi.

Dari semua asuhan kebidanan yang telah dilakukan tidak ditemukan adanya penyulit dan berdasarkan penerapan asuhan kebidanan yang *continuity of care* diharapkan bidan dapat mempertahankan mutu pelayanan kesehatan.

Kata Kunci : Komprehensif, Nifas, BBL, KB

ABSTRACT

Continuity of care is the provision of midwifery care starting from the postpartum period, neonates or newborns to deciding to use family planning, this is an effort to help monitor the possibility of complications that accompany mothers and babies from the postpartum period to the mother. using KB. The author aims to apply the method of continuous midwifery care (*continuity of care*) at Jatirejo Public Health Center, Mojokerto Regency, this method is carried out through home visits. The purpose of preparing this Final Project Report is to provide continuous midwifery care (*continuity of care*) and carry out SOAP documentation during the postpartum period and family planning using midwifery care management.

Midwifery care for Mrs. N from the postpartum period, neonates to family planning. Midwifery care during the postpartum period was carried out 4 times during the first postpartum visit at the Jatirejo Public Health Center, Mojokerto Regency and subsequent visits were made at

home visits. Three visits to newborn babies during the first visit were carried out at Jatirejo Public Health Center, Mojokerto Regency and then a home visit was carried out. Family planning visits are carried out once at home visits.

Mrs. N carried out Continuity of Care, namely from the results of the examination of obstetric care in postpartum mothers who were carried out 4 times the results were physiological, the neonates who had 3 visits did not find any problems that led to pathology and family planning that had been carried out 1 visit also within the physiological limit. found problems that lead to pathologies and complications so that the Continuity of Care reduces maternal and infant mortality rates.

Of all the midwifery care that has been carried out, no complications have been found and based on the implementation of continuity of care midwifery, it is hoped that midwives can maintain the quality of health services.

Keywords: Comprehensive, Postpartum, BBL, KB