

ABSTRAK

ASUHAN KEBIDANAN PADA NY. F UMUR 26 TAHUN DI CIMAH I JAWA BARAT

Oleh: Devi Khistanti

Asuhan kebidanan berkelanjutan (*continuity of care*) yaitu pemberian asuhan kebidanan secara berkelanjutan dan komprehensif yang mulai dari masa kehamilan, persalinan, nifas, bayi baru lahir, neonatus dan keluarga berencana. Ini bertujuan sebagai upaya untuk membantu memantau dan mendeteksi adanya kemungkinan timbulnya komplikasi yang menyertai ibu dan bayi dari masa kehamilan sampai keluarga berencana. Asuhan ini bertujuan untuk memastikan kesehatan ibu dan bayi melalui pemantauan dari masa kehamilan, persalinan, nifas, neonatus, dan KB serta deteksi dini terhadap komplikasi atau masalah. Dalam pendokumentasian asuhan Continuity of Care (COC) menggunakan SOAP yang dilakukan kepada Ny. F umur 26 tahun di Posyandu Mawar Pusdikarmed Cimahi Jawa Barat. Asuhan ini dimulai dari tanggal 6 Januari sampai 10 Februari 2026 di Posyandu, Rumah sakit dan Kediaman Ny F. Frekuensi kunjungan 1 kali masa kehamilan, 1 kali masa persalinan, 4 kali masa nifas, dan 3 kali masa bayi baru lahir normal, dan 1 kali masa KB. Penulis melakukan kunjungan sebanyak 1 kali pada masa kehamilan, 1 kali pada masa persalinan, 4 kali pada masa nifas, dan 3 kali pada masa bayi baru lahir normal, dan 1 kali pada masa KB. Pada kunjungan masa kehamilan, ibu merasakan perutnya sering kenceng-kenceng dan buang air kecil Ny F hamil anak kedua dengan jarak kurang dari 2 tahun dan riwayat SC untuk persalinan aman ibu melahirkan secara sectio caesarea (SC) di Rumah Sakit Umum Kasih Bunda Cimahi pada tanggal 8 Januari 2026 pukul 12.30 WIB berjenis kelamin perempuan dengan berat badan bayi 3000 gram, panjang badan 50 cm. Pada kunjungan masa nifas ibu mengeluh nyeri luka bekas operasi dan kurang istirahat, telah diberikan edukasi mengenai mobilisasi dini serta pemenuhan nutrisi tinggi kalori dan protein untuk mempercepat proses pemulihan. Serta menganjurkan ibu ikut beristirahat saat bayinya tertidur. Pada kunjungan bayi baru lahir dan neonatus bayi dalam keadaan sehat, aktif menyusu, dan tidak ditemukan tanda bahaya. Pada kunjungan KB ibu memutuskan akan menggunakan alat Kontrasepsi IUD setelah mendapatkan penjelasan tentang berbagai jenis kontrasepsi. Dalam pemberian pelayanan berkelanjutan ini tidak ditemukan kesenjangan antara teori dan fakta. Dengan adanya pemantauan menyeluruh ini, asuhan memberikan manfaat bagi penulis sebagai pengalaman praktik lapangan, bagi klien sebagai penerima layanan yang berkualitas, serta bagi institusi dan pihak lain sebagai dokumen ilmiah yang bermanfaat.

Kata Kunci: Hamil, Bersalin, Nifas, BBL, Neonatus dan KB

ABSTRACT

OBSTETRIC CARE FOR MRS. F 26 YEARS OLD IN CIMAHI, WEST JAVA

By: Devi Khistanti

Continuity of care is the provision of continuous and comprehensive obstetric care starting from pregnancy, childbirth, postpartum period, newborns, neonates and family planning. This aims to help monitor and detect the possibility of complications that accompany mothers and babies from pregnancy to family planning. This care aims to ensure the health of the mother and baby through monitoring of pregnancy, childbirth, postpartum period, neonates, and family planning as well as early detection of complications or problems. In documenting the care of Continuity of Care (COC), SOAP was used to Mrs. F, aged 26 at the Mawar Pusdikarmed Posyandu, Cimahi, West Java. This care starts from January 6 to February 10, 2026 at the Posyandu, Hospital and Residence of Mrs. F. Frequency of visits is 1 pregnancy, 1 time during childbirth, 4 times postpartum period, and 3 times normal newborn period, and 1 time birth control period. The author visited 1 time during pregnancy, 1 time during childbirth, 4 times during puerperium, and 3 times during normal newborn birth, and 1 time during birth control. During the pregnancy visit, the mother felt that her stomach was often tight and urinate Mrs. F was pregnant with her second child less than 2 years apart and the SC history for safe delivery of the mother gave birth by sectio caesarea (SC) at the Kasih Bunda Cimahi General Hospital on January 8, 2026 at 12.30 WIB female with a baby weight of 3000 grams, body length 50 cm. During postpartum visits, mothers complained of pain from surgical wounds and lack of rest, education was given about early mobilization and the fulfillment of high-calorie and protein nutrients to speed up the recovery process. As well as encouraging mothers to take a break when their baby is asleep. At the visit, newborns and neonates the baby was in good health, actively breastfeeding, and no signs of danger were found. At the birth control visit, the mother decided to use an IUD contraceptive device after getting an explanation about the different types of contraception. In the provision of this continuous service, there is no gap between theory and fact. With this comprehensive monitoring, care provides benefits for the author as a field practice experience, for the client as a recipient of quality services, and for institutions and other parties as useful scientific documents.

Keywords: Pregnancy, Childbirth, Postpartum Birth, BBL, Neonate and Family Planning