

RINGKASAN
ASUHAN CONTINUITY OF CARE (CoC) PADA NY. "T" USIA 21
TAHUN GIP0A0 UK 40 MINGGUDI PUSKESMAS
KEMBANGBAHU LAMONGAN

OLEH:
MAYA CHOLIDAH

Asuhan kebidanan komprehensif yang dilaksanakan secara berkesinambungan sejak masa kehamilan hingga keluarga berencana merupakan strategi penting dalam meningkatkan kualitas kesehatan ibu dan bayi serta menurunkan AKI dan AKB. Metode dalam pendampingan oleh peneliti yakni secara observasi secara berkesinambungan. Tujuan pelaksanaan asuhan ini adalah memberikan asuhan kebidanan secara berkesinambungan pada Ny. T usia 21 tahun dilaksanakan selama ± 8 minggu, meliputi asuhan kehamilan 3 kali, persalinan 1 kali, nifas 4 kali, neonatus 3 kali, serta keluarga berencana 1 kali. Hasil asuhan kehamilan 1 dan 2 berlangsung fisiologis. Persalinan kala I berjalan normal, kala II selama 10 menit tanpa laserasi perineum, kala III 10 menit, dan kala IV tanpa penyulit. Masa nifas pada kunjungan 1 hingga 4 berlangsung normal tanpa keluhan dan penyulit. Bayi lahir berjenis kelamin laki-laki, BB 3600 gram, PB 53 cm & kunjungan neonates berjalan tanpa adanya penyulit. Pada kunjungan KB juga tidak ditemukan penyulit karena ibu menggunakan KB Suntik 3 Bulan. Pendampingan berkelanjutan melalui pendekatan *Continuity of Care* berkontribusi dalam meningkatkan kesejahteraan ibu dan bayi, sehingga dapat mendukung pencapaian derajat kesehatan yang optimal.

Kata Kunci: Hamil, Bersalin, Nifas, Neonatus, KB

SUMMARY

**OF CONTINUITY OF CARE (CoC) FOR Mrs. "T", 21 YEARS OLD OF
GIP0A0 40 WEEKS AT KEMBANGBAHU HEALTH CENTER,
LAMONGAN CITY**

**BY:
MAYA CHOLIDAH**

Comprehensive midwifery care implemented continuously from pregnancy to family planning is an important strategy in improving the quality of maternal and infant health and reducing maternal and infant mortality rates (MMR) and infant mortality rates (IMR). The method of mentoring by researchers is through continuous observation. The purpose of implementing this care is to provide continuous midwifery care to Mrs. T, aged 21 years, carried out for $\pm$ 8 weeks, including 3 pregnancy care, 1 delivery, 4 postpartum care, 3 neonatal care, and 1 family planning care. The results of pregnancy care 1 and 2 were physiological. The first stage of labor proceeded normally, the second stage for 10 minutes without perineal lacerations, the third stage for 10 minutes, and the fourth stage without complications. The postpartum period at visits 1 to 4 proceeded normally without complaints and complications. The baby was born male, weighing 3600 grams, 53 cm long & the neonatal visit proceeded without any complications. No complications were encountered during the family planning visit because the mother used a 3-month injectable contraceptive. Ongoing support through the Continuity of Care approach contributes to improving the well-being of both mother and baby, thus supporting the achievement of optimal health.

Keywords: Pregnancy, Childbirth, Postpartum, Neonate, Family Planning

