

LAMPIRAN

Lampiran 1 Instrumen Penelitian

INSTRUMEN PENELITIAN

a. Data Umum

1. Usia Ibu

- ☐ <20 Tahun : Kode 1
- ☐ 20-35 Tahun : Kode 2
- ☐ > 35 Tahun : Kode 3

2. Pendidikan

- ☐ Dasar (SD,SMP) : Kode 1
- ☐ Menengah (SMA Sederajat) : Kode 2
- ☐ Tinggi (Akademi, S1) : Kode 3

3. Pekerjaan

- ☐ Tidak Bekerja/IRT : Kode 1
- ☐ Bekerja : Kode 2

4. Paritas

- ☐ Primipara : Kode 1
- ☐ Multipara : Kode 2
- ☐ Grandemultipara : Kode 3

Lampiran 2 Lembar Observasi Stunting

LEMBAR OBSERVASI STUNTING

Hasil pengukuran status gizi Stunting berdasarkan indikator tinggi badan per usia (TB/U) pada batita.

Rumus Z-score TB/U : $z\text{-score} = \frac{\text{nilai individu} - \text{nilai median baku rujukan}}{\text{simpangan baku rujukan}}$ maka dapat diperoleh kategori :

- a. Stunting : Zscore $< -2,0$ SD
- b. tidak Stunting : Zscore $> -2,0$ SD

No	TB (Tinggi Badan)	Nilai Zscore	Kategori	Z-score



Lampiran 3 Tabulasi Hasil Penelitian

TABULASI DATA HASIL PENELITIAN

No	Data Umum				Data Khusus			Kode
	Usia Batita	Kode	JK	Kode	Pola Makan	Kode	Kejadian Stunting	
1	29	3	P	2	TIDAK	2	Normal	1
2	30	3	P	2	YA	1	Normal	1
3	21	2	P	2	TIDAK	2	Normal	1
4	30	3	L	1	YA	1	Normal	1
5	26	3	P	2	TIDAK	2	Normal	1
6	21	2	P	2	TIDAK	2	Kurang	2
7	19	2	P	2	TIDAK	2	Normal	1
8	19	2	L	1	YA	1	Normal	1
9	15	2	L	1	TIDAK	2	Normal	1
10	29	3	P	2	TIDAK	2	Normal	1
11	29	3	L	1	TIDAK	2	Kurang	2
12	32	3	L	1	YA	1	Normal	1
13	30	3	P	2	TIDAK	2	Normal	1
14	25	3	P	2	YA	1	Normal	1
15	30	3	P	2	TIDAK	2	Normal	1
16	31	3	L	1	TIDAK	2	Normal	1
17	21	2	L	1	TIDAK	2	Normal	1
18	27	3	P	2	YA	1	Normal	1
19	26	3	P	2	TIDAK	2	Normal	1
20	15	2	L	1	TIDAK	2	Normal	1
21	30	3	L	1	YA	1	Normal	1
22	28	3	L	1	TIDAK	2	Kurang	2
23	17	3	L	1	TIDAK	2	Normal	1
24	16	2	L	1	TIDAK	2	Normal	1
25	28	3	P	2	TIDAK	2	Normal	1
26	17	2	L	1	TIDAK	2	Normal	1
27	26	3	P	2	TIDAK	2	Normal	1
28	32	3	P	2	YA	1	Normal	1
29	24	3	P	2	YA	1	Normal	1
30	18	2	L	1	TIDAK	2	Risiko Lebih	1
31	17	2	L	1	YA	1	Normal	1
32	17	2	P	2	TIDAK	2	Normal	1
33	19	2	L	1	YA	1	Normal	1
34	19	2	L	1	TIDAK	2	Normal	1

35	27	3	P	2	YA	1	Normal	1
36	30	3	P	2	TIDAK	2	-	2
37	26	3	L	1	TIDAK	2	Normal	1
38	24	3	P	2	YA	1	Normal	1
39	28	3	L	1	YA	1	Normal	1
40	29	3	L	1	TIDAK	2	Normal	1
41	18	2	L	1	TIDAK	2	Normal	1
42	24	2	L	1	TIDAK	2	Kurang	2
43	17	2	L	1	TIDAK	2	Normal	1
44	20	2	L	1	TIDAK	2	Normal	1
45	16	2	P	2	TIDAK	2	Normal	1
46	28	3	P	2	TIDAK	2	Kurang	2
47	26	3	L	1	TIDAK	2	Normal	1
48	29	3	L	1	TIDAK	2	Normal	1
49	21	2	P	2	TIDAK	2	Normal	1
50	23	2	P	2	YA	1	Normal	1
51	32	3	P	2	TIDAK	2	Kurang	2
52	29	3	L	1	YA	1	Normal	1
53	30	3	L	1	TIDAK	2	Kurang	2
54	21	2	P	2	YA	1	Normal	1
55	30	3	L	1	TIDAK	2	Normal	1
56	26	3	P	2	YA	1	Normal	1
57	21	2	L	1	YA	1	Normal	1
58	19	2	P	2	YA	1	Kurang	2
59	19	2	P	2	TIDAK	2	Normal	1
60	15	2	P	2	TIDAK	2	Normal	1
61	29	3	P	2	TIDAK	2	Normal	1
62	29	3	L	1	TIDAK	2	-	2
63	32	3	P	2	YA	1	Normal	1
64	30	3	P	2	TIDAK	2	Normal	1
65	25	3	P	2	YA	1	Normal	1
66	30	3	L	1	YA	1	Normal	1
67	31	3	L	1	TIDAK	2	Normal	1
68	21	2	P	2	TIDAK	2	Normal	1
69	27	3	L	1	TIDAK	2	Normal	1
70	26	3	L	1	TIDAK	2	Normal	1
71	15	2	P	2	YA	1	Normal	1
72	30	3	P	2	TIDAK	2	Kurang	2
73	28	3	P	2	TIDAK	2	Normal	1
74	17	2	L	1	TIDAK	2	Normal	1
75	16	2	L	1	TIDAK	2	Normal	1

76	28	3	P	2	TIDAK	2	Normal	1
77	17	2	P	2	TIDAK	2	Normal	1
78	26	3	L	1	TIDAK	2	Normal	1
79	32	2	L	1	YA	1	Normal	1
80	24	2	L	1	YA	1	Normal	1
81	18	2	L	1	YA	1	Normal	1
82	17	2	L	1	TIDAK	2	Normal	1
83	17	2	P	2	TIDAK	2	Kurang	2
84	19	2	L	1	YA	1	Normal	1
85	19	2	P	2	TIDAK	2	Normal	1
86	27	3	P	2	TIDAK	2	Kurang	2
87	30	3	P	2	TIDAK	2	Normal	1
88	26	3	L	1	YA	1	Normal	1
89	24	2	L	1	YA	1	Risiko Lebih	1
90	28	3	P	2	TIDAK	2	Normal	1
91	29	3	L	1	TIDAK	2	Normal	1
92	18	2	L	1	TIDAK	2	Kurang	2
93	24	2	P	2	YA	1	Normal	1
94	17	2	P	2	TIDAK	2	Normal	1
95	20	2	L	1	YA	1	Normal	1
96	16	2	P	2	TIDAK	2	Kurang	2
97	28	3	L	1	TIDAK	2	Kurang	2
98	26	3	L	1	YA	1	Kurang	2
99	29	3	L	1	TIDAK	2	Normal	1
100	21	2	L	1	YA	1	Normal	1
101	23	2	L	1	TIDAK	2	Normal	1
102	32	2	L	1	YA	1	Normal	1
103	29	3	P	2	TIDAK	2	Normal	1
104	30	3	P	2	TIDAK	2	Normal	1
105	21	2	L	1	YA	1	Normal	1
106	30	3	L	1	TIDAK	2	Normal	1
107	26	3	P	2	TIDAK	2	Normal	1
108	21	2	P	2	TIDAK	2	Kurang	2
109	19	2	P	2	YA	1	Risiko Lebih	1
110	19	2	L	1	TIDAK	2	Normal	1
111	15	2	L	1	TIDAK	2	Normal	1
112	29	3	P	2	TIDAK	2	Normal	1
113	29	3	L	1	TIDAK	2	Normal	1
114	32	3	P	2	YA	1	-	2
115	30	3	L	1	YA	1	Kurang	2

116	25	3	P	2	TIDAK	2	Sangat Kurang	2
117	30	3	P	2	TIDAK	2	Normal	1
118	31	3	P	2	TIDAK	2	Kurang	2
119	21	2	L	1	TIDAK	2	Normal	1
120	27	3	L	1	TIDAK	2	Normal	1
121	26	3	P	2	TIDAK	2	Kurang	2
122	15	2	L	1	YA	1	Normal	1
123	30	3	P	2	TIDAK	2	Normal	1
124	28	3	P	2	TIDAK	2	Kurang	2
125	17	2	P	2	TIDAK	2	Normal	1
126	16	2	L	1	TIDAK	2	Kurang	2
127	28	3	L	1	TIDAK	2	Normal	1
128	17	2	P	2	YA	1	Normal	1
129	26	3	L	1	TIDAK	2	Normal	1
130	32	3	P	2	YA	1	Normal	1
131	24	2	L	1	TIDAK	2	Normal	1
132	18	2	P	2	TIDAK	2	-	2



Lampiran 4 spss Frequencies

Statistics

		Usia Batita	Jenis Kelamin	Pola Makan	Kejadian Stunting
N	Valid	132	132	132	132
	Missing	0	0	0	0

Frequency Table

Usia Batita		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	13-24 bulan	59	44.7	44.7	44.7
	25-36 bulan	73	55.3	55.3	100.0
	Total	132	100.0	100.0	

Jenis Kelamin

	Frequency	Percent	Valid Percent	Cumulative Percent
Laki-laki	67	50.8	50.8	50.8
Valid Perempuan	65	49.2	49.2	100.0
Total	132	100.0	100.0	

Pola Makan

	Frequency	Percent	Valid Percent	Cumulative Percent
Tepat	42	31.8	31.8	31.8
Valid Tidak Tepat	90	68.2	68.2	100.0
Total	132	100.0	100.0	

Kejadian Stunting

	Frequency	Percent	Valid Percent	Cumulative Percent
Tidak Stunting	106	80.3	80.3	80.3
Valid Stunting	26	19.7	19.7	100.0
Total	132	100.0	100.0	

Crosstabs

[DataSet0]

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Usia Batita * Pola Makan	132	100.0%	0	0.0%	132	100.0%
Jenis Kelamin * Pola Makan	132	100.0%	0	0.0%	132	100.0%

Usia Batita * Pola Makan Crosstabulation

			Pola Makan		Total
			Tepat	Tidak Tepat	
Usia Batita	13-24 bulan	Count	21	38	59
		% of Total	15.9%	28.8%	44.7%
	25-36 bulan	Count	21	52	73
		% of Total	15.9%	39.4%	55.3%
Total		Count	42	90	132
		% of Total	31.8%	68.2%	100.0%

Jenis Kelamin * Pola Makan Crosstabulation

			Pola Makan		Total
			Tepat	Tidak Tepat	
Jenis Kelamin	Laki-laki	Count	23	44	67
		% of Total	17.4%	33.3%	50.8%
	Perempuan	Count	19	46	65
		% of Total	14.4%	34.8%	49.2%
Total		Count	42	90	132
		% of Total	31.8%	68.2%	100.0%

Crosstabs**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Usia Batita * Kejadian Stunting	132	100.0%	0	0.0%	132	100.0%
Jenis Kelamin * Kejadian Stunting	132	100.0%	0	0.0%	132	100.0%

Usia Batita * Kejadian Stunting Crosstabulation

		Kejadian Stunting		Total	
		Tidak Stunting	Stunting		
Usia Batita	13-24 bulan	Count	50	9	59
		% of Total	37.9%	6.8%	44.7%
	25-36 bulan	Count	56	17	73
		% of Total	42.4%	12.9%	55.3%
Total		Count	106	26	132
		% of Total	80.3%	19.7%	100.0%

Jenis Kelamin * Kejadian Stunting Crosstabulation

		Kejadian Stunting		Total	
		Tidak Stunting	Stunting		
Jenis Kelamin	Laki-laki	Count	57	10	67
		% of Total	43.2%	7.6%	50.8%
	Perempuan	Count	49	16	65
		% of Total	37.1%	12.1%	49.2%
Total		Count	106	26	132
		% of Total	80.3%	19.7%	100.0%

Crosstabs

[DataSet0]

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Pola Makan * Kejadian Stunting	132	100.0%	0	0.0%	132	100.0%

Pola Makan * Kejadian Stunting Crosstabulation

		Kejadian Stunting		Total
		Tidak Stunting	Stunting	
Pola Makan	Tepat	Count	38	42
		% within Pola Makan	90.5%	100.0%
	Tidak Tepat	Count	68	90
		% within Pola Makan	75.6%	100.0%
Total		Count	106	132
		% within Pola Makan	80.3%	100.0%